DeepTay



Craftsmanship Spirit, Pursue Perfection, Enjoy Life

2026

CE FDA TUV ISO13485 ISO9001

https://deeptay.com/

CONTENTS

01 COMPANY PROFILE ---------- 1-2

02 ELECTRIC WHEELCHAIR SERIES ----- 3-7

03 MANUAL WHEELCHAIR SERIES ------ 8-31

04 COMMODE WHEELCHAIR SERIES ------- 32-38

05 COMMODE CHAIR SERIES ---------- 39-48

06 WALKER SERIES ---------- 49-59

07 ROLLATOR SERIES ---------- 60-68

08 SHOWER COMMODE TRANSFER CHAIR SERIES -69-71

09 SHOWER CHAIR SERIES ---------- 72-77

10 HOSPITAL BEDS SERIES ---------- 78-88

11 WALKING STICK SERIES ------- 89-93

BRIEF INTRODUCTION





ABOUT US

DeepTay is a manufacturer and exporter of rehabilitation and mobility equipment based in Huizhou, Guangdong, China. Our catalogue covers wheelchairs, commode chairs, rollators, walkers, canes and crutches, bathroom safety products, bedroom aids and daily living accessories. Each item is developed, assembled and inspected in our own production facility, where modern lines, in-house testing and a strict quality system work together to deliver dependable equipment for distributors, dealers, home-care providers and clinical buyers worldwide. A modern ERP system links order handling, production planning, inspection records and shipping documents, so every buyer has clear visibility from purchase order to container loading. Samples and full documentation are available on request.

Our products are made under ISO 13485 and ISO 9001 certified systems, and every shipment is supplied with CE and FDA documentation where required. We welcome international partners and look forward to long-term cooperation, from first enquiry to final delivery.







DEEPTAY CO., LTD.
Rehabilitation & Mobility Equipment
Add: Yongshi Avenue, Shiwan Town, Boluo County, Huizhou, Guangdong, China
Tel: +1 3462893265
E-mail: support@deeptay.com
Web: https://deeptay.com/

COMPANY PROFILE

LICENSES & CERTIFICATIONS







MARKET ACHIEVEMENTS & INDUSTRY POSITION

Exports to **52 countries and regions** worldwide, with full domestic coverage across hospitals, nursing institutions, e-commerce, and offline retail channels.

Recognized as one of the **leading manufacturer** in China's aging-friendly industry, with an exceptional reputation for reliable quality.

Guarantees **100% on-time delivery of high-quality** products, earning long-term trust from global clients.

SOCIAL RESPONSIBILITY & VISION

Dare to Take Responsibility, Innovate for Development, Benefit the World

Serve with Sincerity, and Build a Global Reputation.



Electric wheelchair

HY9702



A gesture of care,
a gift of freedom.
With cutting-edge technology,
our electric wheelchairs keep seniors safe on the go,
ensuring every trip is easy and worry-free.



HY9706

Features:

- Frame: Steel
- 8"black PU front castors with plastic fork
-12" rear wheels with black PU tire
- Flip-up armrests and foldable footrests provide extra comfort

Parameters:

-Driving range:>12km;
-Max speed 6km/h
-Battery: 12Ah(Lead Acid battery)
-Parking Brake: Manual Brake/Electromagnetic Brake
-Motor:250W*2pcs
-Frame material:Steel frame
-Cushion:breathable mesh fabric black
-Frame color:Grey

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9706	55cm	100cm	91cm	48.5cm	41cm	41cm	21cm	18.4 kg	100kg	67x32x79cm



HY9702

Features:

-Frame:Steel

-8"black PU front castors

-12" rear wheels with black PU tire

-Flip-up armrests & footrests provide extra comfort

Parameters:

-Driving range:>12km;

-Max speed 6km/h

-Battery: 12Ah(lead-acid battery)

-Parking brake:Manual brake/electromagnetic brake

-Motor:250W*2pcs

-Frame materail:Steel

-cushion:Double layer stylish cushion

-Frame color:Green

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9702	63cm	100cm	88cm	49cm	45cm	42cm	34cm	28kg	100kg	70x36x74cm



HY9705

Features:

-Frame:Steel

-8"black PU front castors

-22"rear wheels with black PU tire

-Flip-up armrests and detachable footrests

Parameters:

-Driving range:>12km;

-Max speed 6km/h

-Battery: 12Ah(Lithium battery)

-Parking brake:Manual brake/electromagnetic brake

-Motor:250W*2pcs

-Frame material:Steel

-Cushion:breathable mesh fabric

-Frame color:Silver

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9705	66cm	110cm	91cm	50cm	46cm	42cm	44cm	32.5 kg	100kg	74x46x74cm



HY9703

Features:

-Frame:Steel

-8''black PU front castors

-22"rear wheels with black PU tire.

-Flip-up amrests and swing away footrests.

Parameters:

-Driving range:>12km;

-Max speed 6km/h

-Battery: 12Ah(Lead Acid battery)

-Parking brake:Manual brake/electromagnetic brake

-Motor:250W*2pcs

-Frame material:Liquid coated steel

-Cushion:Mesh fabric

-Frame color:Silver

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9703	66cm	110cm	91cm	50cm	46cm	42cm	44cm	32.5 kg	100kg	74x46x74cm

MANUAL WHEELCHAIR

Stay mobile, Keep active and Enjoy life·



Comfortable backrest



Ergonomic armrests



Foldable & portable

HY9127F

Ergonomic armrests,
adjustable footrests – easy for self-use or assisted pushing
perfect for rehab and senior living.



HY9110

- Steel frame
- 8"front castors
- 22"spoke wheels
- Frame Color: Grey powder coated



HY9100

- Steel frame chrome plating
- 8" black PVC fat front wheels
- 24" Mag style rear wheels
- Aluminum Footplate
- Dual brakes



HY9000

- Steel chrome plating wheelchair
- 8"front castors
- 24"spoke wheels
- Full-length pvc armrest

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9110	60cm	98cm	85.5cm	47cm	41cm	42cm	18cm	13.13kg	100kg	93x20.5x86cm
HY9100	65cm	103cm	87cm	48cm	44cm	44cm	20cm	15.5kg	100kg	91x22x88cm
HY9000	63cm	98cm	86cm	48.5cm	46cm	42.5cm	21cm	14.2 kg	100kg	79x20x86cm



HY9110HC

- Steel powder coated wheelchair
- 8"front castors , 22"spoke wheels
- Full length PVC armrest
- Vintage style upholstery



HY9113

- Steel Laser Coated Wheelchair
- 8"front castors , 22"spoke wheels
- Full length PVC armrest
- Detachable footrest, Nylon Fabric



HY9113D

- Steel powder coated wheelchair
- 8"front castors, 24"spoke wheels
- Full length PVC armrest
- Folded backrest and detachable footrest

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9110 HC	61cm	99cm	86cm	48cm	43cm	41cm	20cm	12.6 kg	100kg	79x21x86cm
HY9113	63cm	101cm	86.5cm	49cm	45cm	42cm	21cm	14.2kg	100kg	80x23x87cm
HY9113D	66cm	104cm	87cm	49cm	45cm	42cm	20cm	15.2kg	100kg	80x21x78cm



HY9116

- Stretcher wheelchair
- Durable Steel frame
- Full length PVC armrest
- Handle brake mechanism



HY9118F

- Steel powder coated wheelchair
- 8"front castors ， 22"spoke wheels
- Folded backrest and detachable footrest
- United brake



HY9118TF

- Steel powder coated transport chair
- 8"front castors
- 16"mag wheels
- United brake

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9116	62cm	101cm	86cm	46cm	43cm	41cm	21cm	14.2kg	100kg	93x23x86cm
HY9118F	64cm	93cm	88cm	46cm	46cm	40cm	21cm	12 kg	100kg	66x23x71cm
HY9118TF	64cm	84cm	87cm	45.5cm	44.5cm	40cm	21cm	13.5kg	100kg	74x23x72cm



HY9119F

- Steel powder coated wheelchair
- 8"front castors , 22"spoke wheels
- Flip-up armrests
- Folded backrest and detachable footrests



HY9119TF

- Steel powder coated transport chair
- 6"front castors , 16"mag wheels
- Filp up armrest
- Folded backrest and detachable footrest



HY9122

- Steel powder coated wheelchair
- 6"front castors ,22"spoke wheels
- Flip-up armrest and footrest
- Folded backrest,Double layer upholstery

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9119F	61cm	100cm	87cm	50cm	46cm	41cm	24cm	12.5kg	100kg	75x26x75cm
HY9119TF	61cm	91cm	88cm	50cm	46cm	41cm	23cm	12kg	100kg	67x25x74cm
HY9122L	61cm	94cm	87cm	48cm	46cm	41cm	23cm	10.8kg	100kg	79x25x80cm



HY9124L

- Aluminum wheelchair
- 8"front castors , 22"spoke wheels
- Double Layer cushions
- Flip-up footrest and folded backrest



HY9123

- Steel frame
- 8"front castors ,22"spoke wheels
- Frame color:Chrome
- Stainless steel side panel
- Aluminum footrest
- Handle brake mechanism



HY9125

- Steel powder coated wheelchair
- 6"front castors,20"mag wheels
- Handle brake
- Streamline shape
- Double Cross braces

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9123	65.5cm	102cm	86cm	46cm	45cm	43.5cm	21cm	15kg	100kg	79x20x86cm
HY9124L	60cm	101cm	89cm	47cm	46cm	43.5cm	23 cm	11.2kg	100kg	79.5x25x77cm
HY9125	67cm	83cm	86cm	47cm	46cm	41cm	23cm	11.87kg	100kg	81x25.5x86cm



HY9126F

- Steel powder coated frame
- 6"front castors ,20"spoke wheels
- Flip-up footrest
- Folded backrest
- Handle brake&PU-padded armrest



HY9126TF

- Steel powder coated frame
- 6"front castors
- 12"mag wheels
- Flip-up footrest
- Folded backrest



HY9125T

- Steel powder coated transport chair
- 6"front castors
- 16"mag wheels
- Fixed amrest&footrest
- Double Cross braces.

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9125T	61cm	84cm	85cm	48cm	46cm	43cm	20cm	10.3 kg	100kg	79x22.5x86cm
HY9126TF	61cm	100cm	88.5cm	46.5cm	46cm	42cm	21.5cm	11.5kg	100kg	68x25x71.5cm
HY9126F	61cm	98cm	89.5cm	46cm	46cm	43cm	23cm	13.5kg	100kg	74.5x25.5x71cm



HY9127TF

- Steel functional transport chair
- Powder coated black and orange mixed
- 6"front castors
- 12"mag wheels
- Flip-up armrest and footrest
- Folded backrest



HY9127F

- Steel powder coated wheelchair
- 6"front castors ,22"spoke wheels
- Flip-up armrest and footrest
- Folded backrest, Handle brake
- Double Cross braces



HY9128DF

- Steel powder coated frame
- 8"front castors
- 24"spoke wheels
- Black PVC armrest pad
- Plastic strip-shaped pedal

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9127TF	61cm	95cm	86.5cm	48cm	46cm	43cm	23cm	11.7kg	100kg	67x25x74cm
HY9127F	62.5cm	96cm	87.5cm	48cm	46cm	43cm	23cm	13.5kg	100kg	74.5x25x74cm
HY9128DF	63cm	99cm	93cm	48cm	46cm	42cm	20cm	13.2kg	100kg	76x20x80cm



HY9129D

- Steel standard wheelchair
- Single cross brace
- 8"front castors
- 22"rear wheels
- Handle brake
- PVC armrests
- Plastic footplate&side panel



HY9131

- Steel powder coating wheelchair
- 8"front castors
- 24"Mag style rear wheels
- Detachable footrests
- Long straight padded armrests



HY9132

- Steel wheelchair with elevalated Legs
- 8"front castors
- 22"spoke rear wheels
- Handle brake and plastic footrests

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9129D	61cm	92cm	87.5cm	46cm	41cm	41cm	25cm	12.6kg	100kg	87x20x76.5cm
HY9131	67.5cm	100cm	86cm	51cm	45cm	43.5cm	23cm	14.26kg	100kg	76.5x23x87cm
HY9132	60cm	107cm	85cm	47cm	42cm	43cm	24cm	13.48kg	100kg	73x24x86cm



HY9135F

- Steel full functional wheelchair
- 8"front castors
- 24"rear wheels
- PU Armrest provides extra comfort
- Flip-up armrests&detachable footrest



HY9134F

- Steel functional wheelchair
- 8"front castors
- 22"mag style rear wheels
- PU padded armrest provides comfort
- Flip-up amrest&footrest.



HY9133

- Steel wheelchair
- 8"front castors
- 22"mag style wheels
- Flip-up footrest
- Handle brake

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9135F	66cm	109cm	92cm	51cm	45cm	43cm	26cm	16.1kg	100kg	85.3x28.5x79cm
HY9134F	63cm	96cm	90.5cm	49cm	46cm	43cm	20cm	12.9kg	100kg	79.5x27x75cm
HY9133	65cm	94cm	85.5cm	48cm	45cm	43cm	20cm	13.69kg	100kg	77x21.5x87cm



HY9136-24

- Steel wheelchair
- 8"front castors
- 24"rear wheels
- PE armrests
- Height-adjustable Footplates
- PVC seat and back cushions



HY9137F

- Steel powder coated frame
- 8"black fat boy front castors
- 12"black mag style rear wheels
- Detachable footrest
- Flip-up amrest and handle brake



HY9200

- Steel black plating wheelchair
- 8"front castors ,24"spoke wheels
- Detachable armrest
- Swing away footrest
- Aluminum footplate

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9136-24	63.5cm	99-101cm	85.5cm	49cm	44cm	40cm	24cm	12.85 kg	100kg	90x26x88cm
HY9137F	57.5cm	105cm	90cm	49cm	48cm	43cm	27cm	14.6kg	100kg	75x28x73cm
HY9200	64cm	94cm	89cm	50cm	46cm	40cm	25cm	16.5kg	100kg	79x27x89cm



HY9202

- Steel wheelchair
- 8"front castors
- 24" spoke wheels with pneumatic tires
- PVC padded armrests
- Flip-up armrests
- Swing-away footrests



HY9203

- Steel powder coated frame
- 8"front castors
- 24"mag wheels
- Elevating Legrests
- Detachable armrest



HY9206

- Black steel powder coated frame
- 8"Front Castors
- 24" spoke wheels with pneumatic tires
- Flip-up armrest&detachable leg rests
- Folded backrest

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9202	60.5cm	99cm	88cm	54cm	46cm	42cm	20cm	15 kg	100kg	79.5x23.5x89.5cm
HY9203	65cm	112cm	89cm	49cm	47cm	43cm	26cm	16.7kg	100kg	79x28x89cm
HY9206	66.5cm	101cm	88.5cm	49cm	46cm	42cm	32cm	15.5kg	100kg	81x34x92cm



HY9208LF

- Aluminum alloy reclining wheelchair
- 8" PU front castors
- 22"Mag style rear wheels
- Flip-up footrest and armrest
- Dual-brake setup & reclining handle
- Detachable leg rests, 6 position adjustable
- Foldable back & height-adjustable armrests



HY9207L

- Preminum Aluminum reclining wheelchair
- 8" PU front castors
- 22"Mag style rear wheels
- Flip-up footrest and armrest
- Double Brake system
- Detachable leg rests, 6 position adjustable



HY9220

- Steel chrome plated wheelchair
- 8"front castors
- 24"spoke wheels
- Detachable armrest&swing away footrest
- Double Cross braces

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9207L	64cm	128cm	127cm	51cm	46cm	42cm	31cm	17.5kg	100kg	89x32x88cm
HY9208LF	66cm	125cm	126cm	51cm	46cm	42cm	31cm	18.6kg	100kg	81x28x77.5cm
HY9220	79cm	104cm	89cm	48cm	56cm	41cm	27cm	17.5kg	100kg	79x29x89cm



HY9252F

- Steel Bariatric wheelchair
- 8" black fat boy front castors
- 24" Mag style rear wheels
- Flip-up armrests&Detachable Leg rests
- Heavy duty



HY9236L

- Steel powder coated frame
- 8" black fat boy wheels
- 24" steel-spoke pneumatic wheels
- PU curved armrest pad
- Flip-up armrests
- Detachable Leg rests



HY9233L

- Aluminum material
- 8"fat boy front castors
- 24"spoke wheels
- Frame color:Silver

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9252F	72.5cm	105cm	86cm	50cm	56cm	42cm	25cm	17.5kg	100kg	78x26x87.5cm
HY9236L	76.5cm	101cm	95.5cm	49cm	56cm	42cm	25cm	16.5kg	180kg	74x26x84cm
HY9233L	62.5cm	107cm	91.5cm	49.5cm	46.5cm	43.5cm	25cm	17.36 kg	100kg	81x26.5x92cm



HY9512LF

- Steel powder coated transport wheelchair
- 8" front castors
- 24" mag style rear wheels
- Flip-up armrests&detachable footrests
- Double layer seat cushion
- United brake



HY9511LF

- Aluminum flat tubing wheelchair
- 6” front castors
- 22” mag style rear wheels
- Flip-up footrest and armrest
- Folded backrest
- Handle brake



HY9513LF

- Aluminum flat tubing wheelchair
- Full covered pu armrest
- 8"fat boy wheels
- 24"mag style rear wheels
- Oxford seat cushions

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9512LF	60cm	102cm	93.5cm	51cm	45cm	42cm	26cm	14.1kg	100kg	78x27.5x87.5cm
HY9511LF	61cm	97cm	86cm	50cm	46cm	41cm	11.5cm	11.5kg	100kg	82x23x72.5cm
HY9513LF	61cm	106cm	88cm	50cm	46cm	42cm	25cm	14.02kg	100kg	83x25x76cm



HY9535L

- Aluminum traveling wheelchair
- 4*8"wheels
- Luggage or carry bag options
- Flip-up footrest
- Folded backrest
- Mesh fabric



HY9536TL

- Aluminum transport wheelchair
- 6"front castors
- 16"mag wheels
- Double Cross braces



HY9536L-20

- Aluminum wheelchair
- 6" front castors
- 22" mag style rear wheels
- PU armrest
- Foldable backrest.Flip-up armrest &detachable footrest

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9535L	56.5cm	97cm	97cm	50cm	46cm	42cm	26cm	8.9kg	100kg	30x27x79cm
HY9536TL	64cm	88cm	83cm	46cm	45cm	41cm	25cm	8.9kg	100kg	74x26x84cm
HY9536L-20	69cm	95cm	88.5cm	46cm	49cm	41cm	25cm	12.5kg	100kg	74x27x84cm



HY9602LTF

- Lightweight Aluminum wheelchair
- 6"front castors
- 12"rear wheels
- PU-padded armrest provides extra comforts
- Flip-up footrests
- Foldable backrest is compact in size





HY9537L

- Aluminum wheelchair
- 8"front castors
- 22"spoke wheels
- Swing away footrest
- Folded backrest
- Flip-up armrest

HY9603

- Steel transport wheelchair
- 6"front castors
- 16"mag wheels
- Double-layer seats for both summer and winter
- Fixed amrest&footrest
- United brake system

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9602LTF	62cm	106cm	90cm	45cm	46cm	43cm	26cm	9.77 kg	100kg	78x27.5x72.5cm
HY9537L	62cm	104cm	88.5cm	50cm	46cm	43cm	28cm	13.8 kg	100kg	76x30x77cm
HY9603	64cm	82cm	90cm	46cm	44.5cm	40cm	22cm	11.6 kg	100kg	90x24x86cm



HY9604L

- Aluminum wheelchair
- Nano technology looks more shining
- 8"front castors and 22"rear wheels
- Flip-up Footrests
- United brake system
- PU armrest provides extra comfot



HY9606L

- Premium Aluminum wheelchair
- 8" front castors and 22"rear wheels
- Detachable and flip-up footrest
- Flip-up armrest
- PU-padded arms
- United brake system



HY9630L

- Aluminum functional wheelchair
- Liquid coated frame
- 8"front castors, 24"rear mag wheels
- Swing way footrest
- Flip-up armrest
- Folded backrest
- Frame color:Bright blue

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9604L	61cm	109cm	93cm	50cm	46cm	43cm	27cm	11.58kg	100kg	86x30x75cm
HY9606L	60cm	104cm	92cm	52cm	45cm	42cm	26cm	13.2kg	100kg	83x32x74cm
HY9630L	65cm	103cm	93cm	50cm	44.5cm	46cm	27cm	16.7kg	100kg	86x29x95cm



HY9636LF

- Aluminum wheelchair
- Double-layer cushion for both winter&summer
- Height adjustable PU armrest
- Swing way footrest
- Folded backrest
- United brake system



HY9635L

- Aluminum wheelchair
- 8" front castors
- 24" spoke wheels with anti-tipper
- PU armrest provides extra comforts
- Foldable backrest.Flip-up armrest and detachable footrest



HY9632L

- Aluminum wheelchair
- 8"front castors
- 24"mag wheels
- Swing away footrest
- Flip-up armrest

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9636LF	66cm	107cm	95.5cm	53cm	46cm	43cm	27cm	12 kg	100kg	80x30x76cm
HY9635L	65.5cm	107cm	91cm	54cm	51cm	41cm	26cm	14.25kg	100kg	82x28.5x83cm
HY9632L	63cm	98cm	86cm	48.5cm	46cm	42.5cm	21cm	14.2 kg	100kg	73x25x86cm



New!

HY9639L

- Premium aluminum wheelchair
- Thick cushion provides extra comforts.
- 24"quick release rear wheels
- 8"stylish front castors
- Height adjustable footrest
- 4-position adjustable foot pedals
- Flipping up armrest and swing away footrest



New!

HY9638L

- Aluminum wheelchair
- 8" front castors
- 22" rear spoke wheels
- PU straight armrest
- Foldable Back&Detachable Footrests



HY9637LF

- Aluminum functional wheelchair
- 8"fat boy front castors
- 24" mag style wheels
- Flip-up armrest and footrest
- Pu armrest.Anti-tippers

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9637LF	61cm	107cm	92cm	51cm	46cm	40cm	24cm	14.68 kg	100kg	81x25.5x78.5cm
HY9638L	60cm	93.5cm	107cm	49cm	46cm	44cm	24cm	11.76kg	100kg	79x26x79cm
HY9639L	59cm	102cm	94-103.5cm	54cm	44cm	42cm	56cm	14.26kg	100kg	82x57.5x29.5cm



HY9640LF

- Aluminum functional wheelchair
- 8" black PVC wide front castors
- 24" Bauhinia large rear wheels
- Flip-up armrest
- Detachable footrest
- Handle brake&foldable backrest



HY9641LF

- Aluminum functional wheelchair
- 7" PU front castors
- 24" spoke rear wheels
- Foldable Back&Detachable Footrests
- Height adjustable armrest
- Flip-up armrest



HY9801L

- Aluminum traveling wheelchair
- 6"front castors
- 8"mag rear wheels
- Flip-up armrest
- Folded footplate
- United brake

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9640LF	61cm	109cm	89-94cm	50.5-55.5cm	46cm	40cm	24cm	15.75 kg	100kg	82x28.5x79cm
HY9641LF	57.5cm	106cm	94cm	51cm	41cm	42cm	28cm	13.8 kg	100kg	81.5x30x81cm
HY9801L	51cm	89cm	94.5cm	53.5cm	33.5cm	32.5cm	27cm	6.2kg	100kg	53x29x73.5cm



HY9802L-10

- Aluminum traveling wheelchair
- 6" PU front castors
- 10" Black Mag style wheels
- Flip-up armrest
- Folded footplate
- Brake with locking mechanism



HY9803L

- Aluminum traveling wheelchair
- 6"front castors
- 8"mag rear wheels
- Flip-up armrest
- Folded footplate
- Brake with locking mechanism



HY9805

- Steel powder coated frame
- 4*8"wheels
- Foldable footplate
- Oxford paterned fabric seat cushion
- United brakes

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9802L-10	52cm	94cm	89.5cm	48cm	46cm	40cm	32cm	7.43kg	100kg	54x33x82cm
HY9803L	39cm	64cm	89cm	48cm	38cm	41cm	26cm	7.2kg	100kg	54x28.5x83cm
HY9805	51cm	80cm	87.5cm	50cm	39cm	39cm	26cm	8.8kg	100kg	51.5x27.5x83cm



HY9806L

- Aluminum Traveling wheelchair
- Flip-up amrest
- 6"front PVC castors,8"rear PVC wheels
- United brake system



HY9807L

- Aluminum traveling wheelchair
- United brake
- 6"front PVC castors
- 12"pu rear wheels
- Flip-up armrest and footrest



HY9808L

- Aluminum traveling wheelchair
- United brake
- 6"front PVC castors
- 12" PU rear wheels
- Flip-up armrest and footrest

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9806L	51.5cm	79cm	94.5cm	50cm	40cm	40cm	27cm	6.2kg	100kg	51.5x27.5x72cm
HY9807L	54cm	79cm	87.5cm	51cm	40cm	40cm	27cm	9.4kg	100kg	53x31x72cm
HY9808L	53cm	86cm	88cm	52cm	40cm	42cm	34cm	8.8kg	100kg	55x36.5x73.5cm



HY9809L

- Aluminum wheelchair
- United brake
- 6" front castors
- 12" Mag style rear wheels (PU tires)
- Flip-up armrest and footrest
- Height-adjustable Headrest



HY9813-12

- Steel traveling wheelchair
- 6" front castors
- 12" mag style rear wheels
- Flip-up armrest and footrest
- Dual-brake configuration



HY9900

- Steel commode wheelchair
- 8"front castors
- 24"spoke wheels
- Fixed armrest
- Swing away footrest
- PVC lethered uphostery

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9809L	54.5cm	85.5cm	117cm	52cm	39cm	40cm	34cm	11.8kg	100kg	55x37x89.5cm
HY9813-12	54.5cm	86cm	90.5cm	52cm	42cm	41cm	31cm	8.91kg	100kg	55x33x75cm
HY9900	60cm	93cm	91cm	52cm	44cm	44cm	26cm	18.5kg	100kg	76x28x89cm



HY9920

- Steel Chrome plated commode wheelchair
- 8"front castors
- 24"spoke wheels
- Aluminum footplate



HY9921

- Steel commode wheelchair
- 8"front castors
- 24"spoke wheels
- Detachable footrest
- Handle brake



HY9923

- Steel commode wheelchair
- 8"front castors
- 24"mag wheels
- Fixed armrest
- Detachable footrest
- Handle brake

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9920	64cm	105cm	88cm	48cm	43cm	40cm	23cm	18.5 kg	100kg	91x25x87cm
HY9921	64cm	105cm	88cm	48cm	43cm	40cm	23cm	18.5 kg	100kg	91x25x87cm
HY9923	62cm	98cm	86.5cm	53.5cm	43.5cm	46cm	24.5cm	19.6kg	100kg	80x26x87cm



HY9929L

- Aluminum commode wheelchair
- 8"front castors
- 16"rear wheels
- Fixed armrest and Flip-up footrest
- Plastic side panel
- Plastic footplate





HY9926

- Steel chrome plating commode wheelchair
- 8"front castors
- 24"spoke wheels
- Fixed armrest and Flip-up footrest
- Stainless steel side panel
- Aluminum footplate

HY9925

- Steel commode wheelchair
- 8"front castors
- 22"spoke wheels
- Fixed armrest and footrest
- Handle brake

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9925	62cm	98cm	86cm	49.5cm	44.5cm	43cm	21.5cm	15.75kg	100kg	93x25x86cm
HY9926	62cm	98cm	86cm	51cm	43cm	45cm	24cm	16.7kg	100kg	79x27x86cm
HY9929L	59cm	98cm	87cm	51cm	45cm	45cm	33cm	14kg	100kg	81x33x86.5cm



HY9932L

- Aluminum commode wheelchair
- 4" Brake Wheels
- Flip-up armrest
- Leg Rests: Detachable
- Adjustable headrest
- Wheels with 3-hole adjustment



HY9931L

- Aluminum commode wheelchair
- 6" front wheels
- 22" mag style rear wheels
- Flip-up armrest and footrest
- Black PU Padded Armrest
- PVC seat and back cushion



HY9930L

- Aluminum commode wheelchair
- 5" front castor with locking mechansism
- 22" mag style rear wheels
- Flip-up armrests
- Leg Rests: Detachable
- Black PU Armrest/Backrest/Seat Plate

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9930L	59.5cm	105cm	90.5-98cm	49-56.5cm	45cm	41cm	21.5cm	14.5kg	100kg	78x60x63cm
HY9931L	59cm	100cm	87cm	52cm	44cm	45cm	24cm	14.35kg	100kg	81x33x86.5cm
HY9932L	55cm	102cm	110-115cm	52-57cm	45cm	41cm	33cm	15.5kg	100kg	78x55x55cm



New!

HY9949

- Stainless Steel Commode Chair
- Padded seat provides extra comforts
- Black rectangular commode bucket
- 4*5" wheels with manual brake system
- Safety Belt included
- Detachable Armrests & Footrests



HY9946

- Steel powder coated commode
- 5"castors with locking mechanism
- Plastic footplate
- Swing away footrest



HY9942

- Steel commode chair
- 5"castors
- Chrome plating surface treatment
- locking mechanism
- Swing away footrest

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9949	47cm	85.5cm	92.5cm	45.5cm	38cm	40cm	59cm	10.12kg	100kg	68x47x94cm
HY9946	59cm	91cm	88.5cm	51.5cm	49cm	43cm	59cm	23kg	100kg	56x32x52cm
HY9942	54cm	89cm	94cm	51.5cm	46cm	43cm	54cm	10.9kg	100kg	55x54x55cm



HY9650LG

- Ultra light steel wheelchair with powder coated frame
- Welded frame structure with durable stitched cross bars
- Stylish mag style wheels enhance this product's appearance
- Reclining high back and adjustable headrest
- Equipped with 6" castors and 16" wheels
- Detachable armrest,elevating footrest







HY9204

- Steel reclining wheelchair
- PVC padded Seat and Back Cushion
- 8" Front castors
- 24" Spoke wheels
- Full reclining with elevating legrests
- Anti-tip Wheels & Brakes



SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9650LG	56cm	103cm	93cm	51cm	46cm	36cm	26cm	16.7 kg	100kg	77x28x92cm
HY9204	65.5cm	122cm	136cm	53cm	48cm	40cm	32cm	21.05kg	100kg	107x34x80cm



HY9209

- Steel reclining wheelchair
- 8"front castors
- 24" spoke wheels
- Detachabale armrests and footrests
- Foot pedal with 3-hole adjustment



HY9951

- Steel reclining commode wheelchair
- 8" front castors
- 24" spoke wheels
- Frame color:Chrome



HY9952

- Steel chrome plated reclining commode wheelchair
- 8" front castors
- 24" spoke wheels
- Full reclining with elevating legrests.

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9209	66.5cm	101cm	88.5cm	50cm	49.5cm	42cm	32cm	18kg	100kg	107x34x80cm
HY9951	67cm	100cm	132cm	54cm	46cm	44cm	28cm	18kg	100kg	107x34x87cm
HY9952	67cm	100cm	132cm	54cm	46cm	44cm	28cm	18kg	100kg	107x34x87cm



HY9993L

- Aluminum Reclining Commode Wheelchair
- 4" Dark Gray Brake Wheels
- 22" Bauhinia Large Rear Wheels
- Flip-up Armrests
- Detachable Leg Rests
- With Anti-tip Wheels





HY9955L

- Aluminum Reclining Commode Wheelchair
- 8"front castors
- 22"quick release spoke wheels
- Removable footrest
- Flip-up armrest
- Handle brake

HY9953

- Steel reclining commode wheelchair
- 8" Black Bauhinia PVC Front Wheels
- 22" Bauhinia Large Rear Wheels
- Full reclining with elevating legrests
- Tray table included
- Detachable Headrest

SPECS(CM) MODEL	Width	Length	Height	Seat height	Seat width	Seat depth	Folding width	NW/GW KGS	load Bearing	Packaging
HY9953	65.5cm	107cm	127cm	54cm	46cm	44cm	31cm	21.95kg	100kg	83x33x77cm
HY9955L	65cm	126cm	128cm	58cm	46cm	45cm	26cm	20.65kg	100kg	89x38x88cm
HY9993L	66.5cm	107cm	96cm	54cm	44cm	42cm	56cm	13.8kg	100kg	82x57.5x29.5cm

Stay mobile,Keep active and Enjoy life·

PATENTED



HY6429L

Width	Length	Height	NW. kgs	Load Bearing	Packaging
56.5cm	88cm	92-97cm	8.62kg	100kg	55.5x21x80cm

Ultra light aluminum frame is durable and water-proof.

Adjustable&detachable footrest

2-in-1 design integrates both showering and toileting functions.

Easy to fold and Stylish in design

4*4"castors with locking mechanism.



HY6100

- Steel frame
- PE backrest / armrest / seat
- Round bucket
- Frame color:Black

Width	Length	Height	NW. kgs	Load Bearing	Packaging
54cm	50cm	78cm	4.5kg	100kg	80x47x55cm



HY6110

- Steel frame
- PE seat
- Round bucket
- Frame color:Black

Width	Length	Height	NW. kgs	Load Bearing	Packaging
39cm	40cm	42.5cm	4.8kg	100kg	58x54x42cm



HY6111

- Steel frame
- PE seat
- Frame color:Black

Width	Length	Height	NW. kgs	Load Bearing	Packaging
39cm	40cm	42.5cm	4.8kg	100kg	76x34x39cm



HY6113

- Steel frame
- PE seat
- Round bucket
- Frame color:Beige

Width	Length	Height	NW. kgs	Load Bearing	Packaging
42cm	36cm	39cm	1.7kg	100kg	80x47x55cm



HY6114

- Steel powder coated frame
- PVC padded seat
- Squre bucket
- Frame color:Beige

Width	Length	Height	NW. kgs	Load Bearing	Packaging
42cm	36cm	42-47cm	2.9kg	100kg	40x16x39cm

HY6114K

- Steel powder coated frame
- PVC padded seat
- backrest / armrest / seat
- Squre bucket
- Frame color:Beige

Width	Length	Height	NW. kgs	Load Bearing	Packaging
42cm	36cm	75-80cm	4.5kg	100kg	47x22x44cm





New!

HY6122

- Steel powder coated frame
- 4*3" Plastic Brake Wheels+Foot Pedals
- Black PVC Backrest
- Gray Blow-molded Armrests
- Detachable footplate

Width	Length	Height	NW. kgs	Load Bearing	Packaging
52.5cm	70cm	70cm	6.82kg	100kg	47x22x44cm



HY6411L-4

- Aluminum frame
- PE seat and backrest
- Round bucket
- 4"wheels with parking system
- PE armrest is easy to clean

Width	Length	Height	NW. kgs	Load Bearing	Packaging
55cm	84cm	74-84cm	5kg	100kg	53x19x77cm

HY6412L-4

- Aluminum frame
- Ergonomically designed footplate
- Push handle for caregivers
- Round bucket
- 4"castors
- Parking brake mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
44cm	52cm	93cm	6.8kg	100kg	48x22x72cm





HY6420L

- Aluminum frame
- Ergonomically designed footplate
- Push handle for caregivers
- Round bucket
- 4"castors
- Parking brake mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
44cm	52cm	93cm	6.8kg	100kg	48x22x72cm



HY6428L

- Aluminum frame
- PVC padded seat
- Round bucket
- Suction cuptips
- Matt anodized
- Stylish flat tubing side pipe
- Mesh fabric backrest

Width	Length	Height	NW. kgs	Load Bearing	Packaging
57cm	55.5cm	92-97cm	5.17kg	100kg	55x21x77.5cm

HY6428L-4

- Aluminum frame
- 4*4"castors with locking mechanism
- PE seat
- Round bucket
- Stylish flat side tubing
- Parking brake mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
57cm	55.5cm	92-97cm	5kg	100kg	55x18x78cm





HY6428L-4

- Aluminum construction
- Breathable mesh fabric
- PE seat is convenient and comfortable
- PE material armrest platform is comfortable
- 4*4"castors with locking mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
57cm	80cm	92-97cm	6kg	100kg	55x17.5x78cm



HY6430L-4

- Premium Aluminum Frame
- Stylish blue color
- PE seat is convenient and comfortable
- PE material armrest platform is comfortable
- 4*4"castors with locking mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
55cm	82cm	90.5-95.5cm	6.83kg	100kg	55x17.5x78cm

HY6431L-4

- Aluminum construction
- Gray blow-molded armrests
- 4*4" black brake wheels
- Gray oval commode with core
- Gray blow-molded seat pan with core
- Flip-up armrests+detachable backrest

Width	Length	Height	NW. kgs	Load Bearing	Packaging
57cm	86cm	88-93cm	7.05kg	100kg	63x19x73cm





HY6432L

- Fully Aluminum construction
- PE back is easy to clean
- Padded seat with cover is convenient and soft
- PE material armrest platform is comfortable
- Suction cup tips
- Bright Oxidized Silver

Width	Length	Height	NW. kgs	Load Bearing	Packaging
57cm	57cm	79-89cm	5.7kg	100kg	58x24x85cm



HY6433L

- Aluminum shinning frame
- Foldable frame is compact in size.
- 4"front castors with locking mechanism
- 6"rear wheels
- PE backrest and armrest is easy to clean
- PVC soft padded seat

Width	Length	Height	NW. kgs	Load Bearing	Packaging
57cm	55.5cm	92-97cm	5kg	100kg	55x18x78cm



HY6450L

- Fully Aluminum construction
- Light weight
- PE seat and back are easy to clean
- Rubber tips
- Foldable

Width	Length	Height	NW. kgs	Load Bearing	Packaging
49cm	52cm	77-92cm	5.7kg	100kg	82x19x60cm



HY6461L

- Aluminum matt silver frame
- Foldable frame is compact in size.
- Suction cup tips in rubber material
- Padded seat provides extra comfort.
- CKD Tool free is easy to be installed.

Width	Length	Height	NW. kgs	Load Bearing	Packaging
64.5cm	53cm	72.5-82.5cm	4.8kg	100kg	51.5x25x73.5cm



HY6461L

- Aluminum matt silver frame
- Seat frame: Welded type
- Orange push handle
- Equipped with orange blow-molded backrest
- Detachable foot tubes
- 5-position height adjustable

Width	Length	Height	NW. kgs	Load Bearing	Packaging
67-68cm	57-59cm	84.5-94.5cm	5.52kg	100kg	59x24x69cm



HY6500

- Sturdy and durable steel frame
- Foldable and it is easy to carry
- Gray blow-molded seat & armrests
- Height adjustable
- Gray European-style commode
- Rubber tips
- Frame color:Dark grey powder coated

Width	Length	Height	NW. kgs	Load Bearing	Packaging
57cm	57cm	79-84cm	5.7kg	100kg	53x29.5x77cm



HY6530

- Steel foldable commode
- 3 in 1 design
- PE seat and backrest are easy to clean
- Rubber tips
- Foldable
- Frame color:White

Width	Length	Height	NW. kgs	Load Bearing	Packaging
48.5cm	56cm	61.3cm	5.18kg	100kg	56x16x64.5cm



HY6532

- Steel frame
- Powder coated
- PE seat and backrest
- Height adjustable
- Rubber tips
- PE armrest
- Frame color:Grey

Width	Length	Height	NW. kgs	Load Bearing	Packaging
56cm	49cm	39.5-55cm	6.7kg	100kg	63x63x65cm



HY6536

- Steel powder coated commode chair
- Drop arm design provides extra comfort
- Height adjustable
- PE seat and backrest are easy to clean
- Soft foam handle and back is comfortable
- Round bucket
- Frame color:White

Width	Length	Height	NW. kgs	Load Bearing	Packaging
52cm	46cm	71-80cm	6.5kg	100kg	57x39x33cm



HY6540

- Steel Powder coated frame
- water proof backrest
- commode system with deflector guard
- Tool-less assembly
- high quality rubber tips
- stylish flat side tubing
- Frame color:Beige

Width	Length	Height	NW. kgs	Load Bearing	Packaging
54cm	47cm	89-98cm	6.5kg	100kg	55x18.5x74cm



HY6542

- Steel Frame
- Powder coated
- Stylish PE material backrest in blue color
- Height adjustable
- Rubber tips
- Round bucket
- Soft padded seat

Width	Length	Height	NW. kgs	Load Bearing	Packaging
54cm	54cm	79-89cm	7.2kg	100kg	55x18x73cm



HY6544

- Steel commode chair
- PE Seat&armrest
- Foldable design is compact in size
- Backrest support
- Height-adjustable
- Gray Oval Commode
- Gray Blow-molded Seat & Armrests

Width	Length	Height	NW. kgs	Load Bearing	Packaging
55cm	51cm	71-83.5cm	5.87kg	100kg	54x16x69cm

New!



HY6603

- Steel Powder coated frame
- Lake blue long curved injection armrests
- Lake blue large flange foot pads
- Blow-molded Seat + Core
- CKD with very small packaging
- Width adjustable system design in a more ergonomic way
- 5" Adjustment Holes on Foot Tube

Width	Length	Height	NW. kgs	Load Bearing	Packaging
59cm	47cm	66-76cm	6.09kg	100kg	49x20x45cm

WALKER

LIGHTWEIGHT ALUMINUM



HY8254L

Stay mobile, Keep active and Enjoy life.

Height adjustable
Width adjustable
Portable and foldable

RELIABLE WALKER FOR STEADY STEPS.



HY8100LG

Aluminum frame
Single cross brace
PVC handle
Height adjustable
Rubber tips
One-button folding mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
50cm	48cm	75-93cm	2.3kg	100kg	57x27x76cm

HY8101L

- Aluminum frame
- Single cross brace
- Foam handle
- Height adjustable
- Rubber tips
- One button folding mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
50cm	48cm	75-93cm	2.3kg	100kg	57x27x76cm





HY8110L

- Aluminum frame
- Single cross brace
- PVC handle
- Height adjustable
- Rubber tips
- One button folding mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
51cm	48cm	75-93cm	2.3kg	100kg	53x28x78cm



HY8113L

- Lightweight aluminum frame, one-button operation
- Simple folding mechanism, easy to fold
- Padded armrests for extra comfort
- Ergonomic design, reinforced & pin-free
- Weight transfer for independent movement
- Removable arm pad mechanism
- Unique ergonomic armrests

Width	Length	Height	NW. kgs	Load Bearing	Packaging
50cm	48cm	76-116cm	2.8kg	100kg	55x12x83cm

HY8120L

- Aluminum frame
- Double Cross braces
- PVC handgrip
- One button folding mechanism
- Rubber tips
- Height adjustable

Width	Length	Height	NW. kgs	Load Bearing	Packaging
51cm	48cm	75-93cm	2.6kg	100kg	52x28x78cm





HY8123LG-5

- Light weight Aluminum Frame
- Double Cross braces
- PVC handle
- Height adjustable
- Rubber tips and 5” front castors
- One button folding mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
64cm	51cm	77-96.5cm	3kg	100kg	58x28.5x82cm



HY8130LG-5

- Aluminum frame
- Single cross brace ， Foam handles
- One button folding mechanism
- 5” Castors
- Height adjustable
- Frame color:Shinning

Width	Length	Height	NW. kgs	Load Bearing	Packaging
51cm	48cm	77-96cm	2.9kg	100kg	57x28x82cm

HY8136LG-3

- Light weight Aluminum Frame
- Single cross brace
- PVC handle
- Height adjustable
- Rubber tips and 5” front swivel castors
- One button folding mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
64cm	51cm	77-96.5cm	3.8kg	100kg	52x28x87.4cm







HY8138L

- Light weight Aluminum Frame
- Shopping bag
- PVC handle
- Height adjustable
- Plastic slider and doubled 5" front castors
- Titanium color
- One button folding mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
71cm	56cm	77-87cm	2.8kg	100kg	58x26.5x87.5cm



HY8143L

- Light weight Aluminum Frame
- 2 PVC Bags (1Mesh)
- PVC handle
- Height adjustable
- 6" front wheels
- Height adjustable handle
- One button folding mechanism
- Frame color:Anodized Titanium color

Width	Length	Height	NW. kgs	Load Bearing	Packaging
65.5cm	62cm	84-93.5cm	3.9kg	100kg	51x22x93cm

HY8150L

- Aluminum frame
- Single cross brace
- TPR handles
- One button folding mechanism
- Rubber tips
- Height adjustable

Width	Length	Height	NW. kgs	Load Bearing	Packaging
51cm	46cm	72-92cm	2.3kg	100kg	55x28x74cm





HY8150L-22

- Aluminum frame
- Single cross brace
- TPR handles
- One button folding mechanism
- Rubber tips
- Height adjustable
- Frame color:Anodized

Width	Length	Height	NW. kgs	Load Bearing	Packaging
51cm	46cm	72-92cm	3.5kg	100kg	60x28x78cm



HY8150L-23

- Aluminum frame
- Single cross brace
- TPR handles
- One button folding mechanism
- Rubber tips
- Height adjustable

Width	Length	Height	NW. kgs	Load Bearing	Packaging
51cm	46cm	72-92cm	3.2kg	100kg	56x15x74cm



HY8159L

- Aluminum frame
- Oxidized gold
- Height adjustable
- Black TPR handle
- One button folding mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
59-61cm	46.5-50.5cm	75-92.5cm	1.73kg	100kg	58.5x66x78cm



New!

HY8160L

- Aluminum frame
- Anodized
- Height adjustable
- Black TPR footpad
- Black PVC Grip
- One-button folding mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
56cm	46-50cm	74.5-92cm	2.15kg	100kg	55x11x51cm



HY8200L-5

- Aluminum frame
- Double cross braces
- Two-button folding mechanism
- Rubber tips
- Foam soft handles.
- 5"front wheels

Width	Length	Height	NW. kgs	Load Bearing	Packaging
62cm	50cm	83-100cm	2.7kg	100kg	57x28.5x82cm



HY8200LW-5

- Light weight Aluminum Frame
- Double cross braces
- PVC handle
- Height adjustable
- Eco-friendly rubber tips
- It is equipped with 4 five-inch wheels

Width	Length	Height	NW. kgs	Load Bearing	Packaging
44cm	56cm	83-108.5cm	3.74kg	100kg	58x28x65cm



HY8220L

- Light weight Aluminum Frame
- Double cross braces
- PVC handle
- Height adjustable
- Rubber tips
- One button folding mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
61cm	56cm	76-84cm	3.2kg	100kg	55x15x76cm



HY8220L-5

- Aluminum frame
- Double cross braces
- Foam handles
- Two button folding mechanism
- Rubber tips Height adjustable
- CKD with compact size
- 5"front wheels

Width	Length	Height	NW. kgs	Load Bearing	Packaging
61cm	51cm	77-96.5cm	3.2kg	100kg	54.5x15x52.5cm



HY8250L-5

- Aluminum frame
- Single cross brace
- PVC handles
- Two paddle folding mechanism
- Rubber tips and 5"front wheels
- Height adjustable

Width	Length	Height	NW. kgs	Load Bearing	Packaging
64cm	51cm	77-96.5cm	2.8kg	100kg	52x28x78cm



HY8251L-5

- Aluminum CKD walker
- Height adjustable
- PVC handle
- 5"front wheels
- Two-button folding mechanism.

Width	Length	Height	NW. kgs	Load Bearing	Packaging
64cm	50.5-54.5cm	80-97.5cm	2.86kg	100kg	56x10x52cm



HY8252L

- Aluminum anodized frame
- Single cross brace
- One button folding mechanism
- Rubber tips
- CKD with compact size
- Foam soft handles

Width	Length	Height	NW. kgs	Load Bearing	Packaging
56cm	46cm	75-93cm	3.2kg	100kg	51x31x78cm



HY8253L

- Aluminum frame
- Single cross brace
- Foam总高 总宽 总长 座宽 座高 座深 靠背
- 90.5cm 54.5cm 86cm 42cm 52cm 41cm
- handle
- Height adjustable
- Rubber tips
- Two paddle folding mechanism

Width	Length	Height	NW. kgs	Load Bearing	Packaging
55cm	46cm	75-93cm	3.5kg	100kg	55x31x78cm



New!

HY8254L-5

- Aluminum frame
- Double cross braces
- TPR Grip/Red Switch Lever
- 2*5" black wheels
- Height/Width Adjustable
- KD Assembly & Foldable Design

Width	Length	Height	NW. kgs	Load Bearing	Packaging
69-73.5cm	50.5-54cm	78-95.5cm	2.95kg	100kg	40x14x50cm



HY8260L

- Aluminum frame
- PVC handles
- Foldable frame is compact in size
- 2*5" wheels
- Anodized shining frame
- Height adjustable

Width	Length	Height	NW. kgs	Load Bearing	Packaging
57cm	54cm	77-87cm	7kg	100kg	65x28.5x88cm



HY8446L

- Aluminum frame
- 10" front wheels
- 8" rear wheels
- Height adjustable
- 1 Gray Oxford Shopping Bag
- Dual Brakes

Width	Length	Height	NW. kgs	Load Bearing	Packaging
41cm	80.5cm	84-86.5cm	9kg	100kg	55x31x78cm



HY8700

- Steel frame
- SKD Tool-free
- Padded cushion with PVC cover
- Padded platform help people move easily
- Seat provides extra comforts
- Height adjustable
- 4 * 4" gray castors with brakes

Width	Length	Height	NW. kgs	Load Bearing	Packaging
64cm	73cm	100-125cm	11.2kg	100kg	73x21x88cm

HY8705

- Steel frame
- Padded armrest provides extra comfort
- Detachable carrier assists users in transferring
- The carrier helps users move independently
- 4" castors with locking mechanism
- Soft foam handle for easy operation
- Frame color: Chrome

Width	Length	Height	NW. kgs	Load Bearing	Packaging
87cm	83cm	119-134cm	14kg	100kg	73x21x88cm





HY8711

- Steel frame
- Padded armrest provides extra Comforts
- Comes with a commode for multiple options
- Padded pu seat is comfortable
- Handle brake can be locked independently

Width	Length	Height	NW. kgs	Load Bearing	Packaging
96cm	100cm	114-140cm	15.2kg	100kg	85x21x86cm

Lightweight Rollator, Ultimate Freedom



One-Touch Locking,
Reliable Stability



360° smooth swivel for
easy maneuvering



High-gloss carbon fiber finish

HY8523L

Freedom of mobility is helpful to maintain a life of independence.

Double Care brings you to a better life.

Stay mobile,Keep active and Enjoy life.



HY8263L

- Aluminum frame
- SKD Tool-free
- Hard seat with mesh fabric
- Removable backrest
- 6"wheels
- Height adjustable
- Shopping bag

Width	Length	Height	NW.kgs	Load Bearing	Packaging
51cm	66cm	82-91cm	6.8kg	100kg	53.5x14.5x48.5cm

HY8265L

- Aluminum Rollator with 8"wheels
- Liquid coated frame
- Hard seat with mesh fabric
- Loop style brake
- 6"wheels
- Shopping bag
- Frame color:Blue

Width	Length	Height	NW.kgs	Load Bearing	Packaging
56cm	60cm	82-95cm	7kg	100kg	53.5x19.5x48.5cm





HY8312L

- Aluminum delta rollator
- Liquid coated frame
- 8"wheels
- Tray table basket and shopping bag
- Loop style brake
- Frame color:Blue

Width	Length	Height	NW.kgs	Load Bearing	Packaging
72cm	64cm	84-93.5cm	5.26kg	100kg	50x23x86cm



HY8311L

- Aluminum delta rollator
- CKD Tool-free
- Loop style brake
- 8"*1"wheels
- Shopping bag basket and tray table
- Height adjustable
- Frame color:Firewood blue

Width	Length	Height	NW.kgs	Load Bearing	Packaging
51cm	66cm	82-91cm	6.8kg	100kg	53.5x14.5x48.5cm

HY8400L1

- Liquid coated frame,Titanium color
- Loop-style Brakes
- Push down to lock and pull up to release
- Padded seat provides extra comforts
- Bag or basket option
- 8"wheels
- Tool-free detachable backrest
- Fit into the car without any problem.

Width	Length	Height	NW.kgs	Load Bearing	Packaging
61.5cm	68cm	81-89cm	7.6kg	100kg	61x28x86cm





HY8410L

- Aluminum light weight construction
- Loop style brakes
- Push down to lock and pull up to release
- Padded seat provides extra comforts
- Bag or basket option
- 8"wheels
- Tool-free detachable backrest

Width	Length	Height	NW.kgs	Load Bearing	Packaging
64cm	68cm	80-91cm	7kg	100kg	60x23x83cm



HY8411L

- Aluminum light weight rollator
- Loop style brake
- Push down to lock and pull up to release
- Padded seat provides extra comforts
- Bag or basket option
- Removable backrest.
- 4*6"wheels

Width	Length	Height	NW.kgs	Load Bearing	Packaging
64cm	66cm	80-91cm	7kg	100kg	60x23x83cm

HY8433

- Steel Powder coated frame
- Hand brakes operate easily and ensure safety
- Fat boy wheels ensure safety
- Allows use in diffrent types of terrain
- Height adjustble push handles fit your body
- Loop style brake
- Push down to lock and pull up to release
- Fits into the car without any problem.

Width	Length	Height	NW.kgs	Load Bearing	Packaging
60cm	76cm	82-94cm	8.6kg	100kg	60x23.5x67cm





HY8437KD

- Aluminum light weight rollator
- 4*8" wheels
- Orange color
- Height-adjustable Armrest Tubes
- Black PVC HF Seat Plate
- 2 Black Shopping Bag
- KD | Foldable & Tool free Assemblable

Width	Length	Height	NW.kgs	Load Bearing	Packaging
61.5cm	71cm	78.5-89cm	8.3kg	100kg	55x17.5x78cm



HY8439L

- Lightweight aluminum construction
- Liquid silver powder coated frame
- Loop-style brakes: push down to lock, pull up to release
- Comes with 8" castors; bag or basket optional
- Exquisite workmanship for an attractive appearance
- Tool-free detachable backrest
- Easy to fold and fit into a car

Width	Length	Height	NW.kgs	Load Bearing	Packaging
60cm	67cm	79-90cm	6.5kg	100kg	60x22x83cm

HY8440

Light weight construction
8" Wind Fire Wheels (F/R)
Basket + PVC Seat Plate
Adjustable Push Tubes&Brake
Interchangeable Tubes & Handles
Frame color:Grey

Width	Length	Height	NW.kgs	Load Bearing	Packaging
59cm	90cm	81-92cm	9.7kg	100kg	61x23x83.5cm





HY8441L

- Aluminum lightweight construction
- Brake with parking mechanism
- Oxford fabric shopping bag
- Eva 6"wheels
- Foldable
- Padded backrest provides extra comforts.

Width	Length	Height	NW.kgs	Load Bearing	Packaging
51.5cm	57.5cm	89-92cm	4.9kg	100kg	52.5x32x71.5cm



HY8500L

- Aluminum Rollator with footplate
- Hand brakes operate easily and ensure safety
- 4*8"black beacon castors
- Equipped with rotating footrest
- Basket and shopping bag.(opotion)
- Loop style brake

Width	Length	Height	NW.kgs	Load Bearing	Packaging
65.5cm	91cm	77.5-88cm	7.66kg	100kg	61x23x82.5cm



HY8512L

- Aluminum CKD rollator
- Push down to lock and pull up to release
- 4*8"wheels
- Height adjustable
- Handle brake

Width	Length	Height	NW.kgs	Load Bearing	Packaging
62.5cm	84.5cm	80-92.5cm	7.02kg	100kg	55x23x59cm



HY8514L

- Aluminum light weight construction
- Push down to lock and pull up to release
- Mesh fabric seat is brethable
- Shopping bag
- 8"wheels
- Detachable backrest

Width	Length	Height	NW.kgs	Load Bearing	Packaging
64cm	65.5cm	79-91cm	4.9kg	100kg	39x23x68cm



HY8516L

- Aluminum light weight construction
- Loop style brakes
- Removable backrest is easy to clean
- 4*8"wheels
- Shopping bag
- Stick&cup holder
- Inside cabel routing

Width	Length	Height	NW.kgs	Load Bearing	Packaging
63.5cm	70cm	82-97cm	7kg	100kg	36.5x24x60cm



HY8517L

- Aluminum light weight construction
- Ergonomical pu armrest provides extra comfort
- Loop style brakes.
- 4*8"wheels
- Shopping bag
- Removable backrest is easy to clean

Width	Length	Height	NW.kgs	Load Bearing	Packaging
71cm	65-70cm	113-128cm	8.65kg	100kg	44x21x71cm



HY8519L

- Aluminum light weight construction
- 2 in 1 design
- Can be used as the shopping cart
- Can be used as the transport wheelchair
- 4*8"wheels
- Removable backrest is easy to clean
- Detachable Footrests

Width	Length	Height	NW.kgs	Load Bearing	Packaging
61.5cm	72cm	81-92cm	6.8kg	100kg	44x21x71cm



HY8521L

- Aluminum light weight construction
- 4*12" rubber wheels.360 swivel for smooth rolling.
- Non-slip,shock absorption for outdoors use
- Loop style brake system ensures safety.
- 5-hole Adjustable armrest
- Detachable F/R Wheels allow for compact packaging

Width	Length	Height	NW.kgs	Load Bearing	Packaging
64.5cm	81cm	86-96cm	9.8kg	100kg	68x22x60cm



HY8522L

- Aluminum light weight construction
- Black color PU armrest support
- Black Nylon Cushion + Bag
- 7-hole Adjustable Main Frame
- 2*10"front castors and 2*8"rear wheels
- Detachable Footrests

Width	Length	Height	NW.kgs	Load Bearing	Packaging
71cm	97cm	118.5-133.5cm	9.6kg	100kg	49x21x71cm



HY8523L

- Aluminum light weight construction
- 4*8" F/R PU wheels
- Black Nylon Cloth Shopping Bag
- Loop brake sytem
- 5-hole Adjustable Push Tubes
- Detachable F/R Wheels

Width	Length	Height	NW. kgs	Load Bearing	Packaging
60cm	77cm	87.5-99.5cm	7.9kg	100kg	52x21x78cm



HY8524L

- Aluminum light weight construction
- 8"*4 F/R PU wheels
- Black Nylon Cloth Shopping Bag
- Loop brake sytem
- 5-hole Adjustable Push Tubes
- Detachable F/R Wheels

Width	Length	Height	NW. kgs	Load Bearing	Packaging
60cm	77cm	87.5-99.5cm	8.25kg	100kg	52x23x79cm





SB1
HY9980L

The showerbuddy SB1 mobile shower chair will turn your existing bathroom into an accessible bathroom, allowing you to enjoy showering again without the costs, delays and stress of a full bathroom remodel.With just one transfer from bed to chair, then to toilet and shower,you can once again Enjoy a shower in your own bathroom.









SB2T
HY9982L

The SB2T bath transfer system is designed to allow a user to be safely transferred by a caregiver over a bathtub to shower without costly bathroom remodeling, but has one special feature that the SB2T does not.



SB3T
HY9983L

The SB3T mobile chair is perfect for walk in wet area showers.It can roll straight over the toilet and into the shower,reducing manual handling and transfer for caregivers.The tilt function releases pressures for the user and improves comfort and well-being.

The SB3T is light weight,durable and easy to use with a lifetime warranty on the frame



HY3400L

Aluminum frame
PE Seat
Anodized matt silver color
Suction Cup Tips
Height adjutable

Width	Length	Height	NW. kgs	Load Bearing	Packaging
32cm	32cm	39-49cm	1.8kg	136kg	45x45x54cm



HY3406L

Aluminum Swivel shower bath stool
PE seat
Anodized matt silver color
Suction Cup Tips
Seat designed with padded pu seat

Width	Length	Height	NW. kgs	Load Bearing	Packaging
32cm	32cm	35-53cm	1.7kg	110kg	45x45x54cm



HY3410L

Aluminum frame
PE Seat
Anodized matt silver color
Suction Cup Tips
Seat designed with drainage holes

Width	Length	Height	NW. kgs	Load Bearing	Packaging
50cm	30cm	38-55.7cm	2.4kg	110kg	59x11x34cm



HY3411L

Aluminum Bariatric shower chair
PE seat is easy to clean
Rubber tips
Double Cross braces
Frame color:Matt Anodized

Width	Length	Height	NW. kgs	Load Bearing	Packaging
49cm	39cm	39-49cm	2.4kg	500LB	63x42x52cm



HY3412L

Sturdy and Durable Aluminum Frame
CKD with compact size
Tool-free
PE seat and backrest are easy to clean
Suction cup tips
Frame color:Matt Anodized

Width	Length	Height	NW. kgs	Load Bearing	Packaging
51cm	39cm	39-49cm	2.6kg	100kg	63x42x52cm



HY3413L

Aluminum frame
CKD tightened by knobs
Tool-free
Height adjustable
PE seat
Suction cup tips

Width	Length	Height	NW. kgs	Load Bearing	Packaging
40cm	37cm	35.5-51cm	2kg	100kg	44.5x10x30cm



HY3414L

Aluminum frame
PE seat is easy to clean
Rubber tips
Frame color:Matt Anodized

Width	Length	Height	NW. kgs	Load Bearing	Packaging
42cm	44.7cm	38.5-51cm	2.42kg	110kg	64x10x37cm



HY3500L

Aluminum frame
PE seat and back
Easy to clean
Suction cup tips

Width	Length	Height	NW. kgs	Load Bearing	Packaging
48cm	53cm	67-85cm	3.1kg	110kg	35x14x61.5cm



HY3501L

High quality Aluminum frame
PE seat and backrest
Easy to clean
Adjustable height alows different measurement
Rubber tips

Width	Length	Height	NW. kgs	Load Bearing	Packaging
49cm	51cm	69-86cm	3.8kg	100kg	62x40x39cm



HY3510L

Aluminum transfer bench
Height Adjustable
PE seat and backrest
Easy to clean
Suction cup tips
Frame Color:Matt Anodzied

Width	Length	Height	NW. kgs	Load Bearing	Packaging
76cm	52cm	79-89cm	4kg	100kg	73x12x43cm



HY3511L

Aluminum CKD transfer bench
Height Adjustable
PE seat and backrest
Easy to clean
Suction cup tips
Frame Color:Matt Anodzied

Width	Length	Height	NW. kgs	Load Bearing	Packaging
77cm	53cm	79-89cm	4kg	100kg	73x12x43cm



HY3512L

Aluminum frame
PE seat is easy to clean
Rubber tips
Frame color:Shinning Anodized

Width	Length	Height	NW. kgs	Load Bearing	Packaging
62cm	33cm	41.5-54cm	2.3kg	130kg	56.5x35x43cm



HY3520L

Aluminum Shower chair with backrest
Padded armrests
Detachable backrest
Frame color:Matt Anodized

Width	Length	Height	NW. kgs	Load Bearing	Packaging
47cm	48cm	71-84cm	3.1kg	110kg	66x14x41cm



HY3521L

Aluminum frame
Padded armrest
PE seat
Suction cup tips

Width	Length	Height	NW. kgs	Load Bearing	Packaging
47cm	48cm	56.5-69cm	2.3kg	110kg	48x45x43cm



HY3522L

Aluminum frame
Squared seat is comfortable
Ideal size for bathtub
Frame color:Matt Anodized

Width	Length	Height	NW. kgs	Load Bearing	Packaging
47cm	48cm	41-54cm	1.9kg	110kg	48x45x43cm



HY3523L

Sturdy and Durable Aluminum frame
CKD with compact size
Tool-free
PE seat and backrest are easy to clean
Padded armrest
Suction cup tips

Width	Length	Height	NW. kgs	Load Bearing	Packaging
47cm	48cm	71-84cm	3.1kg	110kg	66x14x41cm



HY3526L

Aluminum shower and commode chair
Padded armrest
PE seat
Suction cup tips

Width	Length	Height	NW. kgs	Load Bearing	Packaging
57cm	45cm	76-89cm	4kg	100kg	52x17x40cm



HY3527L

Aluminum frame
Suqared seat is comfortable
Ideal size for bathtub
Frame color:Matt Anodized

Width	Length	Height	NW. kgs	Load Bearing	Packaging
58cm	53cm	48-73cm	4kg	100kg	59x17x55cm

Manual single crank

HY-BC-B01















Basic Functions

1.Manual backrest lift (0-70° ±5°)

Special Functions

1.Two-section folding bed

2.Equipped with a palm fiber mattress

3.Equipped with PE headboard, footboard & dining table

4.Equipped with 5-inch silent castors

5.Equipped with IV pole

Manual double crank

HY-BC-C02











Basic Functions

1.Manual backrest lift (0-70° ±5°)

2.Manual leg lift (0-30° ±5°)

Special Functions

1.Three-section folding bed

2.Equipped with a palm fiber mattress

3.Equipped with PE headboard, footboard & dining table

4.Equipped with 5-inch silent castors

5.Equipped with IV pole

Manual full recline

HY-BC-D02







Basic Functions

1.Manual backrest lift (0-75°)
2.Manual leg lift (-50° -20°)
3.Manual lateral tilt (0-25°)
4.Manual bed pan opening

Special Functions

1.Full leg bending
2.Left & right anti-sliding
3.High-density breathable cotton mattress
4.Anti-sliding design & new load-bearing structure

Manual semi-recline

HY-BC-D05











Basic Functions

1.Manual backrest lift (0-75°)

2.Manual leg lift (-50° -20°)

3.Manual lateral tilt (0-25°)

4.Manual bed pan opening

Special Functions

1.Partial leg bending

2.Left & right anti-sliding

3.High-density breathable cotton mattress

4.Anti-sliding design & new load-bearing structure

Manual semi-recline

HY-BC-D07










Basic Functions

1.Manual backrest lift (0-75°)
2.Manual leg lift (-50° -20°)
3.Manual lateral tilt (0-25°)
4.Manual bed pan opening

Special Functions

1.Partial leg bending
2.Left & right anti-sliding
3.High-density breathable cotton mattress
4.Anti-sliding design & new load-bearing structure

Manual three-function

HY-BC-D08













Basic Functions

1.Manual backrest lift (0-70° ±5°)

2.Manual leg lift (0-30° ±5°)

3.Adjustable height (44cm-74cm)

Special Functions

1.Three-function bed

2.Equipped with high-resilience foam mattress

3.Equipped with PE headboard, footboard & dining table

4.Equipped with 5-inch silent dual-row castors

HY-BC-CJ11







Basic Functions

1.Manual backrest lift (0-80°)

2.Manual leg lift (0-30°)

3.Enclosed side rails

4.ABS retractable dining table

Special Functions

1.Full leg bending function

2.4+2 polymer comfort anti-decubitus mattress

3.Wooden headboard & footboard

HY-DHC-1 Basic Version







Basic Functions

1.Electric backrest lift(0-75°)

2.Electric leg lift (0-30°), electric leg lower(0-50°)

3.One-button sit-up(simultaneous adjustment of backrest and legs)

4.Electric lateral tilt(0-50°)

5.Electric bed pan: one-button open & one-button close

6.One-button reset(quick leveling)

Special Functions

1.Full leg bending

2.Left & right anti-sliding

3.High-density cotton mattress

4.Anti-sliding design & new load-bearing structure

HY-DHC-1 Upgrade Version












Basic Functions

1.Electric backrest lift (0-75°)

2.Electric leg lift (0-30°), electric leg lower (0-50°)

3.One-button sit-up (simultaneous adjustment of backrest and legs)

4.Electric lateral tilt (0-50°)

5.Electric bed pan: one-button open & one-button close

6.One-button reset (quick leveling)

Special Functions

1.Full leg bending

2.Left & right anti-sliding

3.Polymer anti-decubitus mattress

4.Anti-sliding design & new load-bearing structure

Electric three-function

HY-DHC-07













Basic Functions

1.Leg lifting and lowering function: electric leg lifting (0-29°)

2.Overall lifting function: height adjustment (44-78CM)

3.Pole assembly :20 stainless steel telescopic rod,
equipped with screw washers

Special Functions

1.Guardrail: High quality aluminum alloy guardrail

2.Headboard and footboard: one-piece blow-molded footboard
with anti-collision wheels, featuring a simple and elegant design

3.Equipped with a handheld remote control

4.Equipped with CE certified high-performance motors

HY-DHC-J02







Basic Functions

1.Electric backrest lift (0-75°)
2.Electric leg lift(0-30°), electric leg lower (0-50°)
3.One-button sit-up (simultaneous adjustment of backrest and legs)
4.Electric lateral tilt (0-50°)
5.Electric bed pan: one-button open & one-button close
6.One-button reset (quick leveling) Special Functions

Special Functions

1.Full leg bending
2.Left & right anti-sliding
3.4+2 polymer comfort anti-decubitus mattress
4.Anti-sliding design & new load-bearing structure

Stay mobile,Keep active and Enjoy life·





HY7550L

The Better Walk Crutch effectively relieves underarm pain you caused by traditional crutches. With a forearm support to reduce wrist pressure, and the patented Better Walk support system to cradle your sides instead of jabbing into your underarms, this will be the first crutch you actually like! The Better Walk Crutch is trusted and loved by professional athletes and top Physical Therapists, and has been featured on CNN and recognized globally

Walking stick series



HY7100L



HY7200L



HY7202L



HY7203L



HY7204L



HY7206L



HY7207L



HY7208L



HY7210L



HY7212L



HY7220L



HY7222L



HY7223L



HY7224L



HY7228L



HY7230L



HY7231L



HY7260T

Model		KG	DIM
HY7100L	119cm	110kg	53x13x26
HY7200L	70-93cm	110kg	66x16x29
HY7202L	72-94.5cm	110kg	66x13x29
HY7203L	69-89cm	110kg	66x13x29
HY7204L	105cm	110kg	110x21.8x18
HY7206L	73-95cm	110kg	66x16x29
HY7207L	71.5-94cm	110kg	66x13x29
HY7208L	77-100cm	110kg	71x17x29
HY7210L	72-95cm	110kg	82x18x33
HY7212L	78-100cm	110kg	82x18x33
HY7220L	80.6-90.7cm	110kg	63x18x25
HY7222L	78-100cm	110kg	79x33x18
HY7223L	84.5-95cm	110kg	63x17x25
HY7224L	86-96cm	110kg	15x4.5x33.5
HY7228L	87.5-97.5cm	110kg	35x33x16
HY7230L	75.5-98.5cm	110kg	75x32x17.5
HY7231L	67.5-90cm	110kg	75x32x17.5
HY7260T	67.5-90cm	110kg	75x32x17.5



HY7310L HY7312L HY7313L HY7316L HY7300L HY7400L HY7401L

Model		KG	DIM
HY7310L	84cm	110kg	86x30x41
HY7312L	70-80cm	110kg	85x30x40
HY7313L	90cm	110kg	80x30x41
HY7316L	70-80cm	110kg	85x32x41
HY7300L	80-103cm	110kg	76x29x40
HY7400L	73-96cm	110kg	79x34x45
HY7401L	70.5-94cm	110kg	79x23x45
HY7403L	77-100cm	110kg	74x23x38
HY7405L	70.5-94cm	110kg	79x23x45
HY7406L	73-96cm	110kg	79x34x45
HY7410L	73-96cm	110kg	76x29x45
HY7411L	78-100cm	110kg	76x29x15
HY7420L	73-96cm	110kg	80*33*37
HY7422L	78-91cm	110kg	80x33x37
HY7423L	78-91cm	110kg	74.5x23x37
HY7424L	73-95cm	110kg	80x33x7
HY7430L	70-93cm	110kg	82x58x30.5
HY7431L	71-94cm	110kg	80x63.5x53.5



HY7403L HY7405L HY7406L HY7410L HY7411L



HY7420L HY7422L HY7423L HY7424L HY7430L HY7431L



HY7500L



HY7501L



HY7502L



HY7503L



HY7500T



HY7501T



HY7502T

HY7511L



HY7522L



HY7525L



HY7528L

Model		KG	DIM
HY7500L	134-154cm	110kg	138x32x28
HY7501L	114-134cm	110kg	118x32x28
HY7502L	94-114cm	110kg	99x32x28
HY7503	98-118.5cm	110kg	99x32x28
HY7500T	132-152cm	110kg	138x32x28
HY7501T	112-132cm	110kg	118x32x28
HY7502T	92-112cm	110kg	99x32x28
HY7511L	138-158cm	110kg	122x27x28
HY7522L	94-114cm	110kg	100x32x28
HY7525L	115-135cm	110kg	119x33x29
HY7528L	116-136cm	110kg	20.5x8.5x88.5



HY7526L HY7552L HY7553L HY7554L HY7610L1 HY7616L



HY7618L HY7619L HY7620L HY7621L HY7630L HY7631L HY7633L HY7636L

Model		KG	DIM
HY7526L	103-153cm	110kg	21.5x9x64.5
HY7552L	115-145cm	110kg	47x9x34
HY7553L	107-135cm	110kg	53x11x27
HY7554L	100-140cm	110kg	25x5.5x8.5
HY7610L1	96.5-119cm	110kg	100x30x30
HY7616L	92-115cm	110kg	96x32x32
HY7618L	121.5-144cm	110kg	88.5x75x40
HY7619L	92-119.5cm	110kg	50x45x58
HY7620L	87-117cm	110kg	96x27x30
HY7621L	88-112cm	110kg	18x12.5x89
HY7630L	79-94cm	110kg	105x40x30
HY7631L	71-94cm	110kg	80x63.5x53.5
HY7633L	93.5-123.5cm	110kg	88x50x30
HY7636L	90-130cm	110kg	22x15x91



HY2010



HY2011



HY2000



HY300



HY3007S



HY3009



HY3010



HY2012



HY2013



HY6605



HY6606



HY6607



HY6608



HY6608



HY2063

HY2065



HY2330



HY2350



HY2340



HY3058BP

惠揚®





01 02 03 04 05 06 07 08 09 10



11 12 13 14 15 16 17 18



19 20 21 22 23



24 25 26 27 28



29 30 31 32 33



34



35



36



37



38







41



42



43



44





45

46





47

48



49



50









51

52

53

54



55



56



57



58



59



60



61



62

DeepTay

Stay mobile, keep active, enjoy life.

Rehabilitation & Mobility Equipment

CONTACT

support@deeptay.com

deeptay.com

+1 3462893265

Yongshi Avenue, Shiwan Town, Boluo County, Huizhou, Guangdong, China

Mon-Fri 8AM-5PM EST